
CHARACTERIZATION OF METHANOGEN MEMBRANE FUNCTION(U)
ILLINOIS UNIV AT URBANA DEPT OF MICROBIOLOGY
J KONISKY ET AL 24 AUG 87 N00014-86-K-8224
F/G 6/13 AD-A184 361 1/1 UNCLASSIFIED NL



MICROCOPY RESOLUTION TEST CHART NATIONAL BUREAU OF STANDARDS-1963-A

· MIC FILE COPY AD-A184 361



	ALPORT DOCO				
1a. REPORT SECURITY CLASSIFICATION	1b. RESTRICTIVE MARKINGS NA				
2a. SECURITY CLASSIFICATION AUTHORITY NA		3. DISTRIBUTION / AVAILABILITY OF REPORT			
2b. DECLASSIFICATION / DOWNGRADING SCHEDULE NA		Distribution Unlimited			
4. PERFORMING ORGANIZATION REPORT NUMBER(S)		5. MONITORING ORGANIZATION REPORT NUMBER(S) NA			
		NA			
6a. NAME OF PERFORMING ORGANIZATION Department of Microbiology	6b. OFFICE SYMBOL (If applicable)	7a. NAME OF MONITORING ORGANIZATION			
University of Illinois NA		Office of Naval Research			
6c. ADDRESS (City, State, and ZIP Code) 131 Burrill Hall		7b. ADDRESS (City, State, and ZIP Code) 800 N. Quincy Street			
Urbana, IL 61801		Arlington, Virginia 22217-5000			
8a. NAME OF FUNDING/SPONSORING ORGANIZATION	8b. OFFICE SYMBOL (If applicable)	9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER			
Office of Naval Research ONR		N00014-86-K-0224			
8c. ADDRESS (City, State, and ZIP Code)		10. SOURCE OF FUNDING NUMBERS			
800 N. Qunicy Street Arlington, Virginia 22217-5000		PROGRAM ELEMENT NO.	PROJECT NO.	TASK NO.	WORK UNIT ACCESSION NO.
11. TITLE (Include Security Classification)			<u> </u>	L	<u> </u>
Characterization of Methanogen Membrane Function					
12. PERSONAL AUTHOR(S)	ab all and Dha		···		
Konisky, Jordan; Santoro, Ni 13a TYPE OF REPORT 13b TIME C	14. DATE OF REPORT (Year, Month, Day) 15. PAGE COUNT				
	186 TO 7/87	87/08/24 4			
16. SUPPLEMENTARY NOTATION		<u> </u>		•	
17. COSATI CODES	18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number)				
FIELD GROUP SUB-GROUP		; methanogens; membranes; energetics;			
	molecular bio	ology			
19. ABSTRACT (Continue on reverse if necessary and identify by block number)					
This research program involves characterization of membrane structure and function in					
the methanogenic archaebacterium, <u>Methanococcus voltae</u> . The objectives are: to characterize the energy transducing cytoplasmic membrane, to delineate the energetics					
of coenzyme M transport, to genetically dissect the coenzyme M transport system, to					
characterize sodium pumps, and to initiate studies in membrane molecular biology. The					
role of the methanogen vanadate-sensitive membrane-associated ATPase in energy transduction					
is being investigated.	- .				
				D	
i				ELE	CTE
				El m	1 1987
				321	L 196/
20. DISTRIBUTION/AVAILABILITY OF ABSTRACT		21. ABSTRACT SE	CURITY CLASSIFIC	ATT	,
■ UNCLASSIFIED/UNLIMITED □ SAME AS	RPT. DTIC USERS	ט			
22a NAME OF RESPONSIBLE INDIVIDUAL			Include Area Code	·	MBOL
Gordon I. Lovitt DD FORM 1473,84 MAR 83 A	PR edition may be used u		886-5423	ONR	

All other editions are obsolete.

PROGRESS REPORT ON CONTRACT NO014-86-K-0224

PRINCIPAL INVESTIGATOR: Dr. Jordan Konisky

TITLE: CHARACTERIZATION OF METHANOGEN MEMBRANE FUNCTION

1. Project goals

This research program involves characterization of membrane structure and function in the methanogenic archaebacterium, <u>Methanococcus voltae</u>. The objectives are: to characterize the energy transducing cytoplasmic membrane, to delineate the energetics of coenzyme M transport, to genetically dissect the coenzyme M transport system, to characterize sodium pumps, and to initiate studies in membrane molecular biology. The role of the methanogen vanadate-sensitive membrane-associated ATPase in energy transduction is being investigated.

2. Progress and plans for year 2.

a. Discovery and partial characterization of a novel methanogen ATPase.

Progress year 1. The mechanism of coupling between methane formation and ATP synthesis in methanogens has been a topic of controversy. The concomitant decrease in ATP formation and membrane potential caused by the addition of protonophores to Methanosarcina barkeri has led to the conclusion that ATP synthesis is driven by a chemiosmotic gradient of protons generated by the reactions of methanogenesis. An earlier report that methanogensis from H₂ and CO₂ as well as ATP synthesis can proceed in Methanobacterium thermoautotrophicum in the absence of a measurable membrane potential has recently been clarified in studies using protoplasts of this methanogen. It has been shown that ATP synthesis, methanogenesis, and the membrane potential decrease in parallel in protoplasts treated with the protonophore, 3,5-ditert-butyl-4-hydroxybenzylidenemalononitrile (SF-6847). The inability of the ionophore to reach the internal membranes in whole cells has been proposed to explain this difference in sensitivity.

Based on evidence that electron transfer-driven ATP synthesis in $\underline{\mathsf{M}}$. voltae is not dependent on a proton electrochemical gradient, a molecular scheme has been proposed in which ATP synthesis is coupled directly to electron transfer. Furthermore, the $\underline{\mathsf{M}}$. voltae ATPase is considered not to function physiologically as an ATP synthase, but rather in electrogenic sodium-translocation. It is, therefore, apparent that more detailed characterization of $\underline{\mathsf{M}}$. voltae ATPases is critical to a more detailed elucidation of this organisms energy metabolism. This past year we have made significant progress in the initial characterization of such ATPases.

Membrane-bound ATPase activity was detected in the $\underline{\text{M. voltae}}$. The ATPase was inhibited by vanadate, a characteristic inhibitor of E_1E_2 ATPases. The enzyme activity was also inhibited by diethylstilbesterol. However, it was insensitive to DCCD, ouabain and oligomycin. The enzyme displayed a high preference for ATP as substrate, was dependent on $\underline{\text{Mg}}^{2+}$ and had a pH optimum of approximately 7.5. The enzyme was completely solubilized with 2% Triton X-

100. The enzyme was insensitive to oxygen and was stabilized by ATP. There was absence of homology with the <u>Escherichia coli</u> F_0F_1 ATPase at the level of DNA and protein. These results strongly indicate that the methanogen enzyme is an E_1E type ATPAse and our finding represents the first description of such an ATPase in the archaebacteria.

b. Characterization of bromoethanesulphonate resistant mutants of <u>Methanococcus voltae</u>: evidence of a coenzyme M transport system.

Plans year 2. We intend to further characterize this membrane protein. An critical confirmation of the ATPase type requires involve a direct demonstration of the phosphorylated intermediate. Membranes will be phosphorylated with radioactive ATP and the solubilized proteins analyzed for the presence of the phosphoryl group on nondenaturing polyacrylamide gels. Modification of a membrane component in the absence of, but not in the presence of vanadate would define the ATPase. The enzyme will then be purified, cleaved with proteases and the amino acid sequence of its active site determined. The primary interest here is to compare this sequence with that of other characterized similar enzymes. Such a determination has obvious evolutionary implications. We also intend to survey other methanogens, especially the methanococcal group, for the presence of a vanadate-sensitive ATPase.

We intend to proceed to the purification of this ATPase. The goal is to determine its N-terminal amino acid sequence and to use that sequence to generate a DNA oligonucleotide that would serve as a hybridization marker which would be used to clone the structural gene. Alternatively, antibody will be produced and the gene cloned making use of appropriate expression vectors and screening for clones which react with the antibody. Isolation of the gene would lead to its sequence which in turn would lead to studies of its molecular biology.

b. Characterization of methyl CoM uptake into M. voltae.

Progress year 1. Mutants which are resistant to BES (2-bromoethanesulfonic), an analogue of methyl-CoM, a cofactor in methanogenesis have been reported for several methanogens. In the case of the Methanosarcina mutants it was been shown that methane formation from CH_3 -S-CoM in extracts prepared from sensitive and resistant strains are equally sensitive to BES suggesting that the mechanism of resistance involved a change in the cell envelope leading to decreased permeability to BES. A similar conclusion can be drawn from a report that a BES resistant mutant of M. voltae is defective in uptake of coenzyme M and that coenzyme M itself can protect cells from the action of BES. These results suggest that in M. voltae BES is taken up by a uptake system which it shares with coenzyme M.

In studies to generate suitable genetic markers, we have isolated and inititiated studies to characterizes $\underline{\mathsf{M.voltae}}$ mutants which are resistant to BES. The mutants displayed reduced ability to accumulate (35 S)BES relative to the sensitive parental strain. BES inhibited methane production from CH₃-S-CoM in cell-free cell extracts prepared from wild type sensitive or resistant strains. BES uptake required the presence of both CO₂ and H₂ and was inhibited by N-Ethyl maleimide and several reagents known to disrupt energy metabolism. The mutants showed normal uptake of isoleucine and were not cross

A-1

Codes

id/or

resistant to either azaserine or 5-methyltryptophan and, thus, are neither defective in general energy-dependent substrate transport nor envelope permeability. Both HS-CoM or CH-3-S-CoM prevented the uptake of BES and protected cells from inhibition by it. We propose that M. voltae has an energy-dependent carrier-mediated uptake system for HS-CoM and CH₃-S-CoM which can also mediate uptake of BES.

Plans year 2. Using radioactive methyl CoM, we are now characterizing the methyl-CoM transport sytem directly. The goal is to determine the nature of the energetic driving force and to learn the details of the energy coupling steps. The nature of the coupling ion is particularly relevant and we are in the process of defining it. We will also characterize our collection of BES resistant mutants in an attempt to identify whether any of them manifest altered membrane proteins.

3. Publications.

Santoro, N. and J. Konisky (1987). Characterization of bromoethanesulfonate mutants of Methanococcus voltae: Evidence of a coenzyme transport sytem. J. Bacteriol., 169: 660-665.

Dharmavaram, R. and J. Konisky (1987). Identification of a vanadate-sensitive membrane-bound ATPase in the Archaebacterium, Methanococcus voltae. J. Bacteriol., in press

4. Presentations of ONR-sponsored research.

Marine Biological Laboratory, Woods Hole, June 1987 Gordon Research Conference on Methanogenesis, June 1987 Chicago Prokaryotic Molecular Biology Club, March 1987 Amoco Corporation, May 1987 Bacterial Cell Surface Meeting, Izu, Japan, Nov. 1987

5. Graduate students and postdoctoral supported

Rita Dharmavaram (female, India) Nicholas Santoro (male, USA) Michael Dybas (male, USA) AFFRONTI, Lowis F. George Washington University Department of Microbiology 2300 I ST NW Washington, DC 20037

BALLOU, C. E. Department of Biochemistry University of California Berkeley, CA 94720

BLAKEMORE, R. P. University of New Hampshire Dept of Microbiology Durham, New Hampshire 03824

CLARK, Douglas S. Department of Chemical Engineering University of California, Berkeley Berkeley, California 94720

COLWELL, Rita Department of Microbiology University of Maryland College Park, MD 20742

DANIELS, Lacy University of Iowa Department of Microbiology Iowa City, IA 52242

DEDONIS, Patrick P. Department of Biochemistry University of British Columbia 2146 Health Sciences Mall Vancouver, B.C. V6T 1W5

DOYLE, R. J. Department of Microbiology & University of Louisville HSC Louisville, KY 40292

FELBECK, Horst Marine Biology Research Division Scripps Institution of Oceanography Department of Biology La Jolla, CA 92093

FERRY, James G. Department of Anaerobic Microbiology Department of Botany & Microbiology Virginia Polytechnic Institute and State University Blacksburg, Virginia 24061

FUJIOKA, Roger S. The University of Hawaii Water Resources Research Center Honolulu, HI 96822

GIESE, R. W. Northeastern Univ Section of Medicinal Chemistry 360 Hungtington Ave Boston, MA 02115

GUNSALUS, Robert P. Department of Microbiology UCLA 405 Hilgard Avenue Los Angeles, CA 90024

GUPTA, Ramesh Southern Illinois University Dept of Chemistry & Biochemistry Carbondale, IL 62901

JANNASCH, Holger W. Woods Hole Oceanographic Institution WOESE, Carl R. Woods Hole, MA 02543

KONISKY, Jordan Department of Microbiology University of Illinois 809 Sout Wright Street Champaign, IL 61820

LIDSTROM, Mary E. California Institute of Technology Department of Biology Pasadena, CA 91125

MITCHELL, Ralph Division of Applied Sciences Harvard University 125 Pierce Hall Cambridge MA 02138

MUSCATINE, Leonard University of California - San Diego University of California, Los Angeles Los Angeles, California 90024

> NAGLE, David P. University of Oklahoma Norman, OK 73019

OLSEN, Gary J. Indiana University Department of Biology Jordan Hall 138 Bloomington, Indiana 47405

PACE, Norman R. Department of Biology Indiana University Bloomington, IN 47405

REEVE, John N. Department of Microbiology Ohio State University 484 West 12th Avenue Columbus, OH 43210-1292

WPTTE, David C. Institute for Applied Microbiology University of Tennessee 10515 Research Drive, Suite 300 Knoxville, TN 37932-2567

Genetics Department, 515 Morrill Hall University of Illinois 505 S. Goodwin Avenue Urbana, IL 61801

WOLFE, Ralph S. 131 Burrill Hall University of Illinois 407 S. Goodwin Urbana, IL 61801

ZINDER, Stephen H. Department of Microbiology Stocking Hall Cornell University Ithaca, NY 14853

9-87